

## Technical Data: DE Acetate

## **Product Description**

DE Acetate (Diethylene Glycol Monoethyl Ether Acetate) is a colorless liquid, soluble in water and miscible in most organic solvents. It is used primarily as a coalescing aid in latex paints and as a solvent in printing inks. It is supplied as a urethane grade solvent.

Property	Units	<b>Specifications</b>	Typical	<b>Test Method</b>
Acidity as Acetic Acid			0.02wt%max	
Assay			99.0 wt% min	
Autoignition Temperature			266°C(511°F)	E659
Blush Resistance @80°F(26.7°C)			92%RH	
Boiling Point @760 mm Hg				
Initial			214°C (417°F)	
Dry Point			221°C(430°F)	
Color, Pt-Co			10max	
Critical Pressure			23.9 ATM	
Critical Temperature			386.8°C	
Critical Volume			565 ml/g mol	
Dilution Ratio				
Toluene			2.2	
VMP Naphtha			0.6	
Expansion Coefficient, per°C @ 20°C			0.00106	
Flash Point Setaflash Closed cup			96°C (205°F)	
Freezing Point			-25°C(13°F)	
Heat of Combustion			-1013kcal/g mol	
Heat of Vaporization			11330 cal/g mol	
Liquid Heat Capacity @ 25°C			82.1cal/(g*mol)(°C)	
Liquid Viscosity @ 20°C			2.8 cP(mPa s)	
Refractive Index @ 20°C			1.42	
Specific Gravity @ 20/20°C			1.012	
Vapor Density (air=1)			6.1	
Vapor Pressure: @ 20°C			0.05 mm Hg	
@55°C			0.16 KPa	
Water			0.1 wt% max	
Wt/Vol @ 20°C			1.01 kg/L (8.42lb/gl)	



## Technical Data: DE Acetate

**Item Number** 

**Date Created** 6/15/2015

**Date Updated** 6/15/2015



CAROLINA INTERNATIONAL SALES CO., INC. 266 Rue Cezzan Lavonia, GA 30553 770-904-7042 www.ciscochem.com

## **Limitations of Warranty & Liability**

Seller warrants its product will meet the specifications listed herein and it has good title to the product, free and clear of all liens and security interests; SELLER MAKES NO OTHER WARRANTY, WHETHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Buyer or user accepts liability for determining if the product is suitable for Buyer's or user's intended use. Any recommendation as to use made by Seller is done so at Buyer's risk.

Buyer shall assume all risk and liability for and shall defend, indemnify, and hold Seller harmless from and against all claims, liabilities, costs, and expenses arising from or connected with the possession, transportation, handling, unloading, storage, processing or use of the product alone or in combination with other substances. Buyer's exclusive remedy and Seller's exclusive liability for damages under contract, tort, strict liability, negligence, or otherwise, shall be limited at Seller's option to the refund of the purchase price or the replacement of the product. In no event shall Seller be liable for incidental, indirect, special, or consequential damages.

Buyer acknowledges receipt of a Material Safety Data Sheet for the product and that the product may require special handling, storage, transportation, treatment or use to comply with applicable safety and environmental standards and will take all necessary action to comply therewith. Buyer further agrees to properly label the product if it is repackaged or resold and pass on all safety information and hazard warnings to its employees, purchasers, and users and their employees.